

Advanced Breeding Techniques

Advanced Breeding Techniques – Study Notes

1. Overview

Modern breeding goes beyond simple selection of phenotypic traits. By integrating molecular biology, genomics, and biotechnological tools, breeders can accelerate genetic gain, introduce novel traits, and improve precision. The main categories are:

Category	Core Principle	Typical Applications
Molecular-Assisted Selection (MAS)	Use DNA markers linked to desirable genes	Early-generation selection, disease-resistance breeding
Genomic Selection (GS)	Predict breeding values from genome-wide marker data	Complex quantitative traits (yield, drought tolerance)
Genome Editing	Directly modify DNA at specific loci (CRISPR/Cas, TALENs, ZFNs)	Trait introgression, knockout of deleterious alleles
Polyploid & Synthetic Hybrid Production	Manipulate chromosome sets to create new gene combinations	Fruit crops, ornamental plants
Speed Breeding & Controlled-Environment Phenotyping	Accelerate generation turnover & collect high-resolution data	Rapid development cycles, climate-resilient varieties
In Vitro Techniques (Embryo Rescue, Haploid Induction, Doubled Haploids)	Bypass sexual incompatibility, produce homozygous lines quickly	Wheat, maize, barley, horticultural crops

2. Molecular-Assisted Selection (MAS)

2.1. Principle

- Identify **molecular markers** (SSR, SNP, CAPS, etc.) tightly linked to a target gene/QTL.
- Screen seedlings or gametes for the marker rather than waiting for phenotype.

Advanced Breeding Techniques

2.2. Workflow

1. **Mapping** – QTL mapping or GWAS to locate trait-associated loci.
2. **Marker Development** – Convert associated SNPs/indels into robust assays (KASP, TaqMan).
3. **Validation** – Test marker–trait association in diverse germplasm.
4. **Implementation** – Use marker assays in early-generation selection or backcrossing.

2.3. Advantages & Limitations

Advantages	Limitations
Reduces breeding cycle time	Requires prior knowledge of linked markers
Increases selection accuracy for low-heritability traits	May miss epistatic interactions
Enables selection for traits expressed late or under specific conditions	Cost of genotyping can be high for large populations

3. Genomic Selection (GS)

3.1. Concept

- **Prediction models** (e.g., GBLUP, Bayesian LASSO, Random Forest) use genome-wide marker data to estimate **Genomic Estimated Breeding Values (GEBVs)**.
- No need to identify individual QTL; the whole genome contributes to the prediction.

3.2. Steps

Step	Description
Training Population	Phenotype a diverse set; genotype with high-density markers.
Model Building	Fit statistical model linking markers to phenotypes.
Prediction	Apply model to genotyped but unphenotyped candidates ? GEBVs.
Selection	Choose top GEBV individuals for crossing or advancement.

3.3. Key Parameters

Advanced Breeding Techniques

- **Marker density** – 5–10K SNPs often sufficient for many crops.
- **Training set size** – Larger (>1000 individuals) improves accuracy.
- **Heritability of trait** – Higher heritability → higher prediction accuracy.
- **Relationship between training and selection populations** – Closer genetic relatedness boosts reliability.